	L	W	ASTE MA			807385		Manifest Do		2. F	Page 1	. OMB No. 2 Information is not require	in the	shaded ar Federal la	re										
	3. Generator's Name and Mailing Address  ALASKAN COPPER WORKS 3200 6TH AVE S SEATTLE  WA 98134  A. State Manifest Docume									Numbe	er														
	4.	4. Generator's Phone ( 206) 623-5800																							
	1	5. Transporter 1 Company Name					6. L	C. State Transporter's ID																	
		SAFETY-KLEEN CORP. 7. Transporter 2 Company Name					8. L	D. Transporter's Phone 206 775— E. State Transporter's ID																	
	-	Docial	nated Engility	Name and Site	Addrono		10 1	O EDA ID N			insporter's														
		SAF	ETY-KL	EEN COR	RP. ST	00789	10.	10. US EPA ID Number			G. State Facility's ID														
		SAFETY-KLEEN CORP. 16540 SE 130TH AVE BLDG B CLACKAMAS OR 97015					ORD 981766124			H. Facility's Phone 503 657-7033															
G	1	US D	OT Descriptio	on (Including Pr	oper Shipping Na	nme, Hazard Ci	lass and ID Num	ber)	12. Cont No.		13. Total Quanti	14. Uni	t	I. Waste I	v										
ENER	İ	×	(PETRICE)	STE COM DLEUM N DOOB, D	BUSTIBL APHTHA) 018, DO4	E LIGU NA19 O) (ERG	ID, N.O 93 PGII #128)6.	S. [ 7#/GAL	1	DM	14	G	D	039											
ATOR-	b.																								
	c.																								
	d.																								
														i .	(A) *D018, D040  15. Special Handling Instructions and Additional Information  IF UNDELIVERABLE, RETURN TO GENERATOR. FOR RECYCLE  EMERGENCY RESPONSE#800-468-1760 24HR.										
	1	Special Specia	al Handling In:	structions and A	RETURN	TO GEN	NERATOR.	FOR REC	YCLE																
	] E	Speci F MER	al Handling In: INDEL IV IGENCY	structions and A	RETURN SE#800-	TO GEN 468-17	50 24HR. 728 937	<b>'52900</b>	35951	0 7-6	092-0	1-7186	5 O'	9											
	] E	Special F UMER GENERATE of govern of 1 am determ	A Handling Installed Insta	JERABLE RESPON ERTIFICATION and, marked, and s.	RETURN SE#800— N: I hereby decided labeled, and a certify that I have table and that I have	TO GEN 468-176 are that the care in all responses a program in	ontents of this ects in proper	252900 consignment are frondition for trans	35951 ully and acciport by high SEE xicity of wast	ATTA	scribed about the desired and scribed approximately approx	ove by prope pplicable inte NT egree I have	5 O'	<b>9</b> Ding name al and nat	ti										
Wednesday to the second	] E	Special Specia	INDELICERATOR'S C assified, packement regulations on a large quantification to be ecolored to be	JERABLE RESPON  ERTIFICATION	RETURN SE#800— It I hereby decided labeled, and a certify that I have able and that I have able able to be able to	are that the core in all responses a program in we selected the that the and its and and i	ontents of this ects in proper of place to reduce to practicable methoronment; OR, if I method that is available.	vonsignment are frondition for trans the volume and to d of treatment, sto am a small quantit tiliable to me and the	359510 ully and acc port by high SEE xicity of wast rage, or dispo	ATTA	scribed about the desired and scribed approximately approx	ove by prope pplicable inte NT egree I have	er shipp rnationa	ping name al and nat	tic										
	] E	Special F CENERATE OF CENERATE	INDELICERATOR'S C assified, packer ment regulations a large quantified to be economic to the present resemble.	JERABLE RESPON EERTIFICATION EIGHT AND THE CONTROL OF THE CONTROL	RETURN SE#800— It I hereby decided labeled, and a certify that I have able and that I have able able to be able to	are that the care in all responses a program in we selected the thand the envir	ontents of this ects in proper of	vonsignment are frondition for trans the volume and to d of treatment, sto am a small quantit tiliable to me and the	359510 ully and acc port by high SEE xicity of wast rage, or dispo	ATTA	scribed about the desired and scribed approximately approx	ove by prope pplicable inte NT egree I have	S O'er shipproations	ping name al and nat	tio -										
R	] E	Special Specia	ERATOR'S Cassified, packement regulations a large quantinined to be ecologes the present of the property waste grand a property waste grand property and property	JERABLE RESPON ERTIFICATION d., marked, and s. titly generator, I normically praction and future three eneration and see	RETURN SE#800— It I hereby decl I labeled, and a certify that I have able and that I ha aet to human heal lect the best waste	are that the core in all responses a program in we selected the thand the environment of the selected than the select	ontents of this ects in proper epiace to reduce a practicable methoronment; OR, if I method that is ave	consignment are from the volume and to do f treatment, storam a small quantification to the column as a small quantification to the column as	359510 ully and acc port by high SEE xicity of wast rage, or dispo	ATTA	scribed about the desired and scribed approximately approx	ove by prope pplicable inte NT egree I have	er shipp rnationa	Date  Date  Date											
R L	16.	Special Specia	RATOR'S Cassified, packement regulations a large quantinined to be ecouzes the present a management of the present and the pre	JERABLE RESPON ERTIFICATION d., marked, and s. titly generator, I normically praction and future three eneration and see	RETURN SE#800—  It I hereby declar I labeled, and a certify that I have able and that I have at to hurnan heal lect the best wast.  Hom Osa	are that the core in all responses a program in we selected the thand the environment of the selected than the select	ontents of this ects in proper of place to reduce to practicable methoronment; OR, if I method that is available.	consignment are from the volume and to do f treatment, storam a small quantification to the column as a small quantification to the column as	359510 ully and acc port by high SEE xicity of wast rage, or dispo	ATTA	scribed about the desired and scribed approximately approx	ove by prope pplicable inte NT egree I have	er shipp rnationa	Date  Date  Date	- I										
RANSPO	16.	Special Specia	ERATOR'S Cassified, packement regulations on a large quantined to be ecologes the presend of Typed Name of Typed N	Structions and A  VERABLE RESPON  ERTIFICATION  Ed, marked, and  S.  Itily generator, I nomically practic  tot and future threeneration and see  Edward  Dewledgement of  Dewledgement of	RETURN SE#800—  It I hereby declar I labeled, and a certify that I have able and that I have at to hurnan heal lect the best wast.  Hom Osa	are that the care in all response a program in we selected the thand the envire management in the care in all selected the selected the control of the care in all selected the selected the selected the care in all selected the care in all selected the care in all selected the selected the care in all selected the se	ontents of this ects in proper epiace to reduce a practicable methoronment; OR, if I method that is ave	consignment are from the volume and to do f treatment, storam a small quantification to the column as a small quantification to the column as	359510 ully and acc port by high SEE xicity of wast rage, or dispo	ATTA	scribed about the desired and scribed approximately approx	ove by prope pplicable inte NT egree I have	er shipp rnationa Mon	Date  Date  Date  Date	tio I										
RAZSP	16.	Special Specia	ERATOR'S Cassified, packement regulations a large quantinined to be ecologes the presend d'Typed Name	Structions and A  VERABLE RESPON  ERTIFICATION  Ed, marked, and  S.  Itily generator, I nomically practic  tot and future threeneration and see  Edward  Dewledgement of  Dewledgement of	RETURN SE#800—  It I hereby decided labeled, and a certify that I have table and that I have table and that I have to human heal lect the best waste.  Homps Receipt of Mate	are that the care in all response a program in we selected the thand the envire management in the care in all selected the selected the control of the care in all selected the selected the selected the care in all selected the care in all selected the care in all selected the selected the care in all selected the se	ontents of this ects in proper epiace to reduce a practicable methoronment; OR, if I method that is ave	consignment are from the volume and to do ftreatment, sto am a small quantification to the column as mall quantification and the column as mall quantification and the column as mall quantification and the column as mall quantification as mall quantification as a small quantific	359510 ully and acc port by high SEE xicity of wast rage, or dispo	ATTA	scribed about the desired and scribed approximately approx	ove by prope pplicable inte NT egree I have	er shipp rnationa Mon	Date  Date  Date  Date  Date  Date  Date  Date  Date	l										
RANSPORTER	16. 17.	GENE are of govern If I am determ minimi Printe Transp Printe	ERATOR'S Cassified, packement regulations on a large quantined to be ecologes the presend of Typed Name of Typed N	Structions and A  VERABLE RESPON  ERTIFICATION  Ed, marked, and  Structions and future threeneration and see  Edition of the company of the c	RETURN SE#800—  It I hereby decided labeled, and a certify that I have table and that I have table and that I have to human heal lect the best waste.  Homps Receipt of Mate	are that the care in all response a program in we selected the thand the envire management in the care in all selected the selected the control of the care in all selected the selected the selected the care in all selected the care in all selected the care in all selected the selected the care in all selected the se	ontents of this ects in proper place to reduce a practicable methoronment; OR, if I nethod that is ave	consignment are from the volume and to do ftreatment, sto am a small quantification to the column as mall quantification and the column as mall quantification and the column as mall quantification and the column as mall quantification as mall quantification as a small quantific	359510 ully and acc port by high SEE xicity of wast rage, or dispo	ATTA	scribed about the desired and scribed approximately approx	ove by prope pplicable inte NT egree I have	Mon	Date  Date  Date  Date  Date  Date  Date  Date  Date											
RANSPORTER FACILIT	16. 17.	Special Specia	ERATOR'S Cassified, packer ment regulations in a large quantined to be ecologist the present part of the property of the prope	Structions and J FRABLE RESPON  ERTIFICATION d, marked, and so the structure three reneration and see the structure three remains the structure three remains and see three remains and	RETURN SE#800—  It is hereby decided a labeled, and a certify that I have able and that I have able and that I have able and the human healect the best waste.  Thompson Receipt of Mate	are that the care in all responses a program in we selected the thand the environment of the management of the care in all selected the selected than the environment of the care in all selected th	ontents of this ects in proper of the practicable method that is ave Signat	consignment are from the condition for trans the volume and to do for treatment, storing a small quantial pole to me and the condition to the condition of the	35951 ully and acc iport by high SEE xicity of was rage, or disp ty generator, iat I can affor	curately de hway accc ATT. Le generation I have madd.	scribed abo ording to ap ACHMEI ed to the de tly available ide a good f	ove by prope pplicable inte NT egree I have	Mon	Date  Date  Date  Date  Date  Date  Date  Date  Date											

ORIGINAL-RETURN TO GENERATOR

nt No.		of is no	t required	the shaded areas i by Federal law.						
	A. Sta	ate Manifest Doc	ument Nu	ımber						
	B. SI	ate Generator's I	D							
		J. State Generators ID								
	C. State Transporter's ID									
	D. Transporter's Phone 20 773-703  E. State Transporter's ID									
	F. Transporter's Phone									
	G. St	ate Facility's ID								
	100000000000000000000000000000000000000	H. Facility's Phone								
Ca=1	0.2008.000.000	03 657-	<b>7033</b>	l						
lo.	ainers   Type	13. Total Quantity	Unit Wt/Vol	Waste No.						
] 	DM	14	ß	DOOS*						
		- 1								
		•		4.						
		•								
	K. Har	ndling Codes for	Wastes L	isted Above						
	K. Har	odling Codes for	Wastes L	isted Above						
	K. Har	odling Codes for	Wastes L	isted Above						
	K. Har	idling Codes for	Wastes L	isted Above						
E	K. Har	idling Codes for	Wastes L	isted Above						
		odling Codes for	The second secon							
51	0 7-	092-01-	7186							
d acc	O 7-  Curately control of the general te gen	092-01- lescribed above to applicate to applicate the desired to the degree	7186  y proper internet intern							
d acc y hid f was r disperator,	O 7- curately chway aci	092-01-	7186  by proper shill interned at I have see the which	shipping name and national and national						
d according to the second seco	curately c hway aci te genera osal curre I have m	lescribed above lescribed above laboration to applicate to the degree antly available to made a good faith	7186  by proper shill interned at I have see the which							
d according to the state of the	ourately chay act	described above to applicate the ACHMEN	7186  by proper shill interned at I have see the which	shipping name and national and national and national Month Day Yea						
d according was r disportator,	curately c hway aci te genera osal curre I have m	lescribed above lescribed above laboration to applicate to the degree antly available to made a good faith	7186  by proper shill interned at I have see the which	shipping name and national and national and national Date  Month Day Yea  Date						
d acc y hid f was r disperator,	ourately chay act	lescribed above lescribed above laboration to applicate to the degree antly available to made a good faith	7186  by proper shill interned at I have see the which	shipping name and national and national and national Month Day Yea						
d according	ourately chay act	lescribed above lescribed above laboration to applicate to the degree antly available to made a good faith	7186  by proper shill interned at I have see the which	shipping name and national and national and national Date  Month Day Yea  Date						

Date Month Day Year Date Month Day Year

Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19. Day Year Month

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

975 B:

C:

D:

359510

SAFETY-KLEEN CORP.

90290

6

GENERATOR COPY

TO:

SAFETY-KLEEN CORP. (DESIGNATED FACILITY)

ORD981766124 EPA ID NO.

O CONTROL FACILITY 7-092-01-7156 MAN DOC: 59510 1997-28

16540 SE 130TH AVE BLDG B **ADDRESS** 

CLACKAMAS OR 97015

Under manifest/sales service number S9510

the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal.

WASTE NAME (FOR NON-WASTE WATER)	WASTE	tor and facility for five (5) years from the date of waste shipme THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD
☐ Waste Petroleum Naphtha 105	D001  D006  D008  D018  D027	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's)≥1000 mg/l Cadmium Lead Benzene 1, 4-Dichlorobenzene	Combustion (CMBST) or recovery (RORGS)(40 CFR 268.42)(non-waste water) 1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG
☐ Waste Petroleum Naphtha 140	D039 D040 D001 D006 D008 D018	Tetrachloroethylene Trichloroethylene Ignitable Liquid (High TOC Subcategory) Cadmium Lead Benzene	6.0 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG CMBST, or RORGS (40 CFR 268.42)(non-waste water) 1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L 10 (non-waste water) MG/KG
Actrel Solvent (If customer specific TCLP is not available)	D039 D006 D008 D018 D039 D040	Tetrachloroethylene Cadmium Lead Benzene Tetrachloroethylene Trichloroethylene	6.0 (non-waste water) MG/KG  1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L 10 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG
Aqueous Parts Washer	D006 D039 D008	Cadmium Tetrachloroethylene Lead	1.0 (non-waste water) MG/L 6.0 (non-waste water) MG/KG 5.0 (non-waste water) MG/L
Waste Petroleum Naphtha 150	D018 D039 D040 ***	Benzene Tetrachloroethylene Trichloroethylene	10 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG
Aqueous Brake Cleaner	D006 D039 D040	Cadmium Tetrachloroethylene ** DO40 SEE ABC Trichloroethylene	6.0 (non-waste water) MG/KG
Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001 D006 D008 D039	Ignitable Liquid (High TOC Subcategory) Cadmium Lead Tetrachloroethylene	CMBST, or RORGS (40 CFR 268.42)(non-waste water) 1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L 6.0 (non-waste water) MG/KG
Photo Imaging	D011	Silver	5.0 (non-waste water) MG/L
Waste Compound Cleaning Liquid/ Immersion cleaner 699	D006 D008 D018 D027 D039 D040	Cadmium Lead Benzene 1, 4-Dichlorobenzene Tetrachloroethylene Trichloroethylene	1.0 (non-waste water) MG/L 5.0 (non-waste water) MG/L 10 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG 6.0 (non-waste water) MG/KG
Waste Gasoline Filters	D001 D018	Ignitable Liquid (High TOC Subcategory) Benzene	CMBST, or RORGS (40 CFR 268.42)(non-waste water) 10 (non-waste water) MG/KG
	CIFIC AVITY	EXCESS FLUID IN DRUM? OFF-COLOR? MORE THE (MS>2/3)(C>1/3)(Y/N) (Y/N) SOLIDS	HAN 30%   UNUSUAL   UNUSUAL MATERIAL
SPECIFIC GRAVITY ACCEPTANCE GUIDELINES			

\*\* NO SIGNATURE REQUIRED \*\*

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste). \*These treatment standards do not preclude reclamation prior to final disposition.

0	Al	ACU	ANL	COPPER	LICYDD IZ CO
Ganaratar Campany	6-4.8	A 100 E.C.	Section 1	A D B Bear Brown Down Breed	FARE ERROR BAT THAT

WAD980738546 EPA ID NO .:

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restriction.

GENERATOR

FORM 1339 (5/97)